



Brock Alloy Wheels & RC-Design

NEUHEITEN 2023



www.tyrol-pneu.at

RC-DESIGN RC34

SIZE	ABE	ECE	4x98	4x100	4x108	5x100	5x108	5x110	5x112	5x114	5x120
6.0x16	X	X	41	43, 44, 45, 49, 50		35, 40, 45, 50			43, 48, 50	38	
6.5x16	X	X	35	37, 40, 45, 48	20, 32, 37.5, 38, 47.5	40, 47	45, 47, 47.5, 50	40	22, 43, 44, 46, 48	32, 40, 41, 44, 45, 46, 50	60
6.5x17	X	X	41	43, 44, 49, 50	20, 32	39, 40, 48, 50		40	38, 39, 41, 43, 44, 46, 49	40, 45, 50	60
7.0x17	X	X	35	37, 44, 45, 50	20, 25, 32, 37.5, 38, 42.5, 47.5	41, 43, 48, 51, 55	40.5, 42, 44, 45, 46, 47.5, 50	37.5, 40, 41	40, 41, 44, 45, 47, 48.5, 49	35, 40, 43, 43.5 47, 48.5, 50, 52, 53	
7.5x17	X	X				46, 51	40, 44, 45, 50.5, 52.5		29, 36, 40, 45, 46, 47, 51, 52	40	
7.0x18	X	X				39, 47, 51	47.5, 50	37.5, 40	22, 35, 43, 45, 49, 54	35, 38, 45, 50, 55	
7.5x18	X	X				43, 46, 51	45, 49, 50, 50.5		25, 35, 39, 40, 41, 46 48, 49, 50, 51, 53	40, 45, 49.5, 51 53, 55	50, 60
8.0x18	X	X					42, 44, 45, 55		30, 34, 40, 43, 45, 48, 54, 56	50	
NEW SIZE 8.5x18	X	X							36, 40, 52, 56	40	
7.0x19	X	X					38, 47.5		34, 43	40, 45	
7.5x19	X	X					47.5, 50, 50.5	40	32, 38, 45.5, 48 49, 50, 51, 53, 53.5	35, 40, 45, 48 49.5, 51, 54.5	
8.0x19	X	X					42, 45, 52.5	37	25, 27, 34, 38, 40, 43, 45, 46, 48, 49, 50	55	58
8.5x20	X	X					45	31	30, 33, 37, 38, 43	35	



RC-DESIGN RC34 // Fahrzeugplanungen

Hersteller / brand	Modell / model	Typ / type	Felge / rim	Größe / size	LK / pcd	VA / front ET / offset	HA / rear ET / offset	Ausführung / application	NB / cb	Reifen / tyre	Befestigung / fixing parts	Nabenkappe / cap	Radlast / load	Abrollumfang / circumference	ABE	ECE
MG	ZS	SZS1	RC34	7,0x17	5/100	41	41	V11	56,1	215/50R17 215/55R17	OE	Z06	700	2200	✓	✓
MG	5 Electric	EP22-L	RC34	7,0x17	5/112	45	45	V10	57,1	215/50R17	OE	Z06	720	2200	✓	✓
BMW	iX1	U1X	RC34	7,0x17	5/112	41	41	BM1	66,6	205/65R17	OE	Z06	720	2200	✓	✓
BMW	X1	U1X	RC34	7,5x18	5/112	50	50	BM1	66,6	225/55R18	OE	OE / M57	wird	abgeleitet	✓	✓
Hyundai	Ioniq6	CE	RC34	7,5x18	5/114	51	51	M45	67,1	225/55R18	OE	Z06	750	2270	✓	✓
BMW	4er + i4	G4C	RC34	8,5x18	5/112	36	36	BM1	66,6	245/45R18	OE	M57	850	2250	✓	✓
Tesla	Model 3	003	RC34	8,5x18	5/114	40	40	TS2	64,2	235/45R18	OE	Z06	850	2250	✓	✓
BMW	2er + 3er	G2C, G3L, G3K	RC34	7,5x18	5/112	25	x	BM1	66,6	225/45R18	OE	M57	750	2050	✓	✓
			RC34	8,5x18		x	40	BM1	66,6	255/40R18	OE	M57	850	2250	✓	✓
Mercedes	C-Klasse	R2CW	RC34	7,5x18	5/112	40	x	D4	66,6	225/45R18	OE	Z08	730	2050	✓	✓
		R2CS	RC34	8,5x18		x	52	D4	66,6	245/40R18	OE	Z08	850	2250	✓	✓
VW	ID.Buzz + Cargo	EB, EBN	RC34	8,0x18	5/112	45	x	V12	57,1	235/60R18	OE	Z06	820	2270	✓	✓
			RC34	8,5x18		x	56	V12	57,1	255/55R18	OE	Z06	900	2250	✓	✓
Smart	Smart#1	HX11	RC34	7,0x18	5/108	50	50	X7	63,4	235/50R18	OE	Z06	770	2200	✓	✓
BYD	Atto 3	SC2E	RC34	6,5x17	5/114	40	40		60,1	215/60R17	OE	Z06			✓	✓
BYD	Atto 3	SC2E	RC34	7,0x18	5/114	40	40		60,1	215/55R18 235/50R18	OE	Z06			✓	✓





RC-DESIGN RC34 SGVP // 8.5X18 5X114 ET40
TESLA MODEL 3

BROCK B40

	SIZE	ABE	ECE	5x100	5x108	5x110	5x112	5x114	5x120	5x127	5x130
	8.0x19	X	X	39	45, 50	33	20, 21, 27, 30, 31, 32.5, 38, 39, 40, 43, 45, 47, 49, 50	35, 49, 53	30, 36, 40, 45		
	9.0x19	X	X		24, 53	32, 34	20, 21, 30, 40, 44, 49, 52, 53, 58	45, 46	18, 37, 41, 48		64
NEW SIZE	9.5x19	X	X				20, 25, 26, 52	45, 52.5	40, 60		
	10.5x19	X	X			40	28		45		62
	8.0x20	X	X		41, 45, 50.5, 52.5		20, 27, 28, 30, 39, 40, 41, 43, 45	30, 35	36, 43	56.4	43
	9.0x20	X	X		38.5, 46, 58.5	29	33, 34, 35, 40, 42, 44, 49, 52, 53, 57	46	45, 48		50
	9.5x20	X	X				22, 43				35, 71
	10.5x20	X	X			30	18, 20			45	55, 64, 71



BROCK B40 // Fahrzeugplanungen

Hersteller / brand	Modell / model	Typ / type	Felge / rim	Größe / size	LK / pcd	VA / front ET / offset	HA / rear ET / offset	Ausführung / application	NB / cb	Reifen / tyre	Befestigung / fixing parts	Nabenkappe / cap	Radlast / load	Abrollumfang / circumference	ABE	ECE
VW	ID.Buzz + Cargo	EB, EBN	B40	8,0x19	5/112	45	x	V12	57,1	235/55R19	OE	Z06	800	2350	✓	✓
			B40	9,0x19		x	58	V12	57,1	255/50R19	OE	Z06	870	2270	✓	✓
Mercedes	GLC	R2CGLC	B40	8,0x19	5/112	32,5	32,5	D12	66,6	235/55R19	OE	Z08	800	2350	✓	✓
Mercedes	GLC	R2CGLC	B40	8,0x19	5/112	32,5	x	D12	66,6	235/55R19	OE	Z08	800	2350	✓	✓
			B40	9,0x19		x	30	D12	66,6	255/50R19	OE	Z08	930	2250	✓	✓
BMW	M3 / M4	G234M	B40	9,0x19	5/112	20	x	BM1	66,6	275/35R19	OE	M57	820	2270	✓	✓
			B40	9,5x19		x	20	BM1	66,6	275/35R19	OE	M57	850	2300	✓	✓
BMW	M3 / M4	G234M	B40	9,5x19	5/112	20	x	BM1	66,6	275/35R19	OE	M57	850	2300	✓	✓
			B40	10,5x20		x	20	BM1	66,6	285/30R20	OE	M57	850	2400	✓	✓
BMW	M5	F5LM	B40	9,5x19	5/112	26	26	BM1	66,6	265/40R19	OE	M57	850	2300	✓	✓
BMW	M5	F5LM	B40	9,5x19	5/112	26	x	BM1	66,6	265/40R19 275/40R19	OE	M57	850	2300	✓	✓
			B40	10,5x19		x	28	BM1	66,6	285/40R19	OE	M57	830	2200	✓	✓
Ford	Mustang	LAE	B40	9,0x19	5/114	45	x	F3	70,7	255/40R19	OE	Z06	820	2270	✓	✓
			B40	9,5x19		x	52,5	F3	70,7	275/40R19	OE	Z06	850	2300	✓	✓
Mercedes	E-Klasse 63/63S AMG	R1ES	B40	9,5x19	5/112	25	52	D12	66,6	265/40R19	OE	Z08	850	2300	✓	✓
Tesla	Model Y	`003	B40	9,5x19	5/114	45	45	TS3	64,2	255/45R19	OE	Z06	850	2300	✓	✓
Tesla	Model S Plaid	`004	B40	9,5x19	5/120	40	x	TS1	64,1	255/45R19	OE	Z06	850	2300	✓	✓
			B40	10,5x19		x	45	TS1	64,1	285/40R19	OE	Z06	830	2200	✓	✓
Honda	Civic Type R	FE	B40	9,5x19	5/120	60	60	H6	64,1	265/30R19	OE	Z06	850	2300	✓	✓





BROCK B40 SGVP // VA 8.0X19 ET45 / HA 9.0X19 ET58
VW ID.BUZZ + CARGO

RC-DESIGN RC25 / RC25-T

	SIZE	ABE	ECE	5x108	5x112	5x114	5x118	5x120	5x127	5x130	5x160
NEW SIZE	6.0x16-T	X	X			50	50, 68			68	
	6.5x16-T	X	X		52	47	48, 60	50, 51, 60	40	43, 60	55, 60
NEW SIZE	6.5x16-T2	X	X		52			51, 60		66, 68	60
NEW SIZE	7.0x16-T	X	X	42, 46				55		66	
	7.0x17-T	X	X	46	51			55			55
	7.5x17	X	X		47.5, 51, 53, 56		40	47, 53, 55	40, 44.5	50, 60	
	7.5x18-T	X	X	45	52, 56			45, 53		43	50
	8.0x18	X	X	42.5	25, 38, 45, 50, 53, 56	35		45, 50, 51	56.4	53	
	8.5x19	X	X		28, 38, 42, 55, 56, 57, 59			38, 45, 50	50	59	



RC-DESIGN RC25 / RC25-T // Fahrzeugplanungen

6.0X16-T

Model	Typ
Fiat Talento	FFL, FJL
Nissan NV300	4, J4
Opel Vivaro B	F7, X83
Renault Traffic	JL, L
Renault Traffic	JL, L
Citroen Jumper	Y
Citroen Jumper	250L, Y
Dangel, Fiat Ducato 4x4	V50FB
Fiat Ducato	250
Fiat Ducato	250, 250L
Niesmann & Bischoff Smove	EG/NB030
Nissan Primastar	4, F4, J4
Opel Vivaro	F7, X83
Opel Movano	Y
Opel Vivaro	F7, X83
Peugeot Boxer	Y
Pössl, Concorde, Globecar; -Compact, -2Win Vario, -Vario, -Globescout, -Scout Vario, -Summit	H-Line
Renault Trafic	FL, JL, L
Citroen Jumper	250L, Y
Citroen Jumper	Y
Fiat Ducato Maxi 4x4	V50FB
Citroen Jumper 4x4	V50CB, V50CC
Peugeot Boxer 4x4	V50PB, V50PC
Fiat Ducato Maxi	250, 250L
Fiat Ducato; light Fahrgestell mit Automatikgetriebe, Serie 16-Zoll	250
Fiat Ducato Maxi	250
Niesmann + Bischoff Arto	EG/.....
Opel Movano	Y
Peugeot Boxer	250L, Y
Peugeot Boxer	Y
Pössl, Concorde, Globecar; -Compact, -2Win Vario, -Vario, -Globescout, -Scout Vario, -Summit	H-Line

7.0X16-T

Model	Typ
Citroen Jumpy, SpaceTourer	V
Citroen Jumpy ww. Dispatch	CX, G9, X, X*****
Citroen Jumpy 4x4, Jumpy Spacetourer 4x4	V61C
Fiat Scudo	270, 270L
Opel Zafira Life, Zafira-e Life, Vivaro, Vivaro-e	V
Peugeot Expert, Traveller	V
Peugeot Expert	G9, X, X*****
Pössl Campster	EG/DKC 001
Toyota Proace, Proace Verso	V
Toyota Proace	X
MAN TGE	SYM1E, SYN1E, SYN2E
MAN TGE, eTGE	SYM1E, SYN1E, SYN2E
VW T6 bzw. T6.1; Bus, geschlossener Kasten	7HC, 7HMA, 7J0
VW T5 Transporter	7J0
VW T5, Multivan, Multivan Beach, Multivan Starline, Caravelle, California, California Beach, Transporter, Transporter Flex, Business	7HC, 7HCA, 7HK, 7HM, 7HMA, 7J0
VW T6 bzw. T6.1 Transporter	7J0
VW T6 bzw. T6.1; Bus, geschlossener Kasten	7HC, 7HMA, 7J0
VW T7 Multivan	ST
VW Crafter, e-Crafter	SYMVE, SYMWE, SYN1E, SYN2E
VW Crafter	SYMVE, SYMWE, SYN1E, SYN2E
VW Amarok	2H, 2HS2
VW T5 Transporter	7J0
VW T5, Multivan, Multivan Beach, Multivan Starline, Caravelle, California, California Beach, Transporter, Transporter Flex, Business	7HC, 7HCA, 7HK, 7HM, 7HMA, 7J0
VW T6 bzw. T6.1; Bus, geschlossener Kasten	7HC, 7HMA, 7J0
VW T6 bzw. T6.1 Transporter	7J0
Perigord; Karmann Dexter 540, -620,-630, Karmann Dexter GO!540	PVDLRE
Ahorn	AFR
Opel Movano	MR, MW
Renault Master	MA, MF, ML, MM

RC-DESIGN RC25 / RC25-T // Fahrzeugplanungen

6.5X16-T2

Model	Typ
Mercedes V-Klasse, Vito, Marco Polo	639/2, 639/4, 639/5
Pössl Vanstar, Pössl Campstar	H-Line Typ MB1
MAN TGE MAN eTGE	SYM1E, SYN1E, SYN2E
VW T5 Transporter	7J0
VW T6 bzw. T6.1; Bus, geschlossener Kasten	7HC, 7HMA, 7J0
VW Crafter, e-Crafter, Grand California	SYMVE, SYMWE, SYN1E, SYN2E
VW Crafter, Grand California	SYMVE, SYMWE, SYN1E, SYN2E
VW T7 Multivan	ST
VW Amarok	2H, 2HS2
VW Crafter, e-Crafter, Grand California	SYMVE, SYMWE, SYN1E, SYN2E
VW Crafter, Grand California	SYMVE, SYMWE, SYN1E, SYN2E
VW T5, Multivan, Multivan Beach, Multivan Starline, Caravelle, California, California Beach, Transporter, Transporter Flex, Business	7HC, 7HCA, 7HK, 7HM, 7HMA, 7J0
VW T6 bzw. T6.1; Bus, geschlossener Kasten	7HC, 7HMA, 7J0
VW T7 Multivan	ST
Citroen Jumper	250L, Y
Citroen Jumper 4x4	V50CB, V50CC
Fiat Ducato Maxi 4x4	V50FB
Peugeot Boxer 4x4	V50PB, V50PC
Fiat Ducato Maxi	250
Fiat Ducato; light Fahrgestell mit Automatikgetriebe, Serie 16-Zoll	250
Niesmann & Bischoff Smove	EG/NB030
Opel Movano	Y
Peugeot Boxer	250L, Y
Peugeot Boxer	250L, Y
Pössl, Concorde, Globecar; -Compact, -2Win Vario, -Vario, -Globescout, -Scout Vario, -Summit	H-Line
Perigord; Karmann Dexter 540, -620,-630, Karmann Dexter GO!540	PVDLRE
Ahorn	AFR
Nissan NV 400, Nissan Interstar	M1, M1A, M9, V9
Opel Movano	MR
Renault Master	MA, MF, ML, MM
Ford Transit Custom, Tourneo Custom	FAC, FCC
Ford Transit, Transit Tourneo	FAD, FCD
Dexter560; Fortyvan	PVDLFO
Dexter-Trend 4x4; -570 4x4; Fortyvan 4x4; Randger 560 4x4	PVDLFO

BROCK B41 // Fahrzeugplanungen

Hersteller / brand	Modell / model	Typ / type	Felge / rim	Größe / size	LK / pcd	VA / front ET / offset	HA / rear ET / offset	Ausführung / application	NB / cb	Reifen / tyre	Befestigung / fixing parts	Nabenkappe / cap	Radlast / load	Abrollumfang / circumference	ABE	ECE
Tesla	Model S Plaid	`004	B41	9,5x21	5/120	40	x	TS1	64,1	265/35R21	OE	Z06	1050	2420	✓	✓
			B41	10,5x21		x	45	TS1	64,1	295/30R21	OE	Z06	1050	2400	✓	✓
Mercedes	EQS	E2EQSW	B41	9,5x21	5/112	41,5	41,5	D12	66,6	265/40R21	OE	Z08	1050	2420	✓	✓
Mercedes	EQS AMG	E2EQSW	B41	9,5x21	5/112	41,5	41,5	D12	66,6	265/40R21	OE	Z08	1050	2420	✓	✓
Land Rover	Range Rover	LK	B41	8,5x20	5/120	43,5	43,5	W14	72,6	275/55R20	OE	Z06	1030	2500	✓	✓
Land Rover	Range Rover	LK	B41	8,5x21	5/120	43,5	43,5	W14	72,6	275/50R21	OE	Z06	1020	2500	✓	✓
Hyundai	Genesis GV60	JW	B41	8,5x20	5/114	43,5	43,5	GS1	67,1	255/45R20	OE	Z06			✓	✓
Hyundai	Genesis GV60	JW	B41	8,5x21	5/114	43,5	43,5	GS1	67,1	255/40R21	OE	Z06			✓	✓





BROCK B41 SGVP // VA 9.5X21 ET40 / HA 10.5X21 ET45
TESLA MODEL S PLAID

BROCK B43 // Fahrzeugplanungen

Hersteller / brand	Modell / model	Typ / type	Felge / rim	Größe / size	LK / pcd	VA / front ET / offset	HA / rear ET / offset	Ausführung / application	NB / cb	Reifen / tyre	Befestigung / fixing parts	Nabenkappe / cap	Radlast / load	Abrollumfang / circumference	ABE	ECE
BMW	X1	U1X	B43	8,0x19	5/112	46	46	BM1	66,6	245/45R19	OE	M57	800	2200	✓	✓
Hyundai	Ioniq6	CE	B43	8,5x20	5/114	53,5	53,5	M45	67,1	245/40R20	OE	Z06	850	2250	✓	✓
Mercedes	GLC	R2CGLC	B43	8,0x19	5/112	32,5	32,5	D12	66,6	235/55R19	OE	Z08	850	2350	✓	✓
Mercedes	GLC	R2CGLC	B43	8,5x20	5/112	34,5	34,5	D12	66,6	255/45R20	OE	Z08	1010	2400	✓	✓
Lynk&Co.	Lynk&Co. 01 (PHEV)	GX6	B43	8,0x20	5/108	52	52	X7	63,4	235/45R20	OE	Z06	840	2250	✓	✓
Mercedes	EQC	204X	B43	7,5x20	5/112	32	x	D12	66,6	235/50R20	OE	Z08	850	2300	✓	✓
			B43	8,5x20		x	30	D12	66,6	255/45R20	OE	Z08	1010	2400	✓	✓
Land Rover	Range Rover	LK	B43	8,5x20	5/120	43,5	43,5	W14	72,6	275/55R20	OE	Z06	1030	2500	✓	✓
Land Rover	Range Rover	LK	B43	8,5x21	5/120	43,5	43,5	W14	72,6	275/50R21	OE	Z06	1030	2500	✓	✓





BROCK B43 SGVP // 8.0X20 5X108 ET52
LYNK&CO. 01

RC-DESIGN RC32 // Fahrzeugplanungen

Hersteller / brand	Modell / model	Typ / type	Felge / rim	Größe / size	LK / pcd	VA / front ET / offset	HA / rear ET / offset	Ausführung / application	NB / cb	Reifen / tyre	Befestigung / fixing parts	Nabenkappe / cap	Radlast / load	Abrollumfang / circumference	ABE	ECE
Toyota	bZ4X	EAM1(M)	RC32	7,5x18	5/114	40	40	TO2	60,1	235/60R18	OE	Z06	730	2350	✓	✓
Subaru	Solterra	EAM1S(M)	RC32	7,5x18	5/114	40	40	TO2	60,1	235/60R18	OE	Z06	730	2350	✓	✓
BMW	X1	U1X	RC32	7,5x18	5/112	50	50	BM1	66,6	225/55R18	OE	Z06	750	2350	✓	✓
Toyota	GR86	T2	RC32	7,5x17	5/100	48	48	H31	56,1	215/45R17	OE	Z06	760	2270	✓	✓
Toyota	GR86	T2	RC32	7,5x18	5/100	48	48	H31	56,1	215/40R18	OE	Z06	700	2350	✓	✓
Subaru	BRZ	Z2	RC32	7,5x18	5/100	48	48	H31	56,1	215/40R18	OE	Z06	700	2350	✓	✓
Hyundai	Ioniq6	CE	RC32	7,5x18	5/114	51	51	M45	67,1	225/55R18	OE	Z06	800	2350	✓	✓





RC-DESIGN RC32 HGVP // 7.5X18 5X114 ET51
HYUNDAI IONIQ 6

RC-DESIGN RC27 // Fahrzeugplanungen

Hersteller / brand	Modell / model	Typ / type	Felge / rim	Größe / size	LK / pcd	VA / front ET / offset	HA / rear ET / offset	Ausführung / application	NB / cb	Reifen / tyre	Befestigung / fixing parts	Nabenkappe / cap	Radlast / load	Abrollumfang / circumference	ABE	ECE
Mercedes	GLC	R2CGLC	RC27	8,0x18	5/112	32,5	32,5	D12	66,6	235/60R18	OE	Z08	750	2300	✓	✓
Lynk&Co.	Lynk&Co. 01 (Hybrid)	GX6	RC27	8,0x18	5/108	52	52	X7	63,4	235/55R18	OE	Z06	760	2300	✓	✓
Smart	Smart#1	HX11	RC27	7,0x18	5/108	50	50	X7	63,4	235/50R18	OE	Z06	730	2300	✓	✓
Smart	Smart#1	HX11	RC27	8,0x19	5/108	48	48	X7	63,4	235/45R19	OE	Z06	770	2300	✓	✓





RC-DESIGN RC27 SGVP // 8.0X19 5X108 ET48
SMART #1

rock
Alloy Wheels

RC
DESIGN



www.tyrol-pneu.at

TYROL
///IPNEU
R Ä D E R & T U N I N G

Tyrol Pneu Räder & Tuning GmbH

Maukenbach 18c

6241 Radfeld

t: 053376111 - 0

office@tyrol-pneu.at